

Expanded BRFSS, 2003

Nassau Locality

Table of Contents:

Optional Module 11: HIV/AIDS	5
Optional Module 12: Hypertension Awareness.....	6
Optional Module 14: Immunization	7
Optional Module 18: Social Context.....	11
Optional Module 19: Tobacco Consumption	15
Optional Module 22: Tobacco – Work site ETS	16
Optional Module 23: Seat Belts.....	18
Optional Module 24: Weight Control.....	20

New York State Department of Health

This page left blank intentionally

This page left blank intentionally

This page left intentionally blank

This page left intentionally blank

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Tested for HIV, Aged 18-64

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	187	43.0	255	57.0	5.6
Gender					
Male	69	39.9	103	60.1	8.9
Female	118	46.0	152	54.0	6.7
Age					
18-34	66	53.3	49	46.7	10.8
35-54	104	42.1	145	57.9	7.2
55-64	17	24.5	61	75.5	13.0
Education					
≤High School	46	44.7	57	55.3	11.4
>High School	141	42.5	197	57.5	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	140	22.3	459	77.7	3.8
Gender					
Male	71	26.5	168	73.5	6.3
Female	69	18.5	291	81.5	4.5
Age					
18-34	7	5.1	108	94.9	4.4
35-54	32	15.7	220	84.3	5.7
≥55	97	42.9	119	57.1	7.6
Education					
≤High School	53	27.6	108	72.4	7.6
>High School	86	20.1	350	79.9	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	96	72.3	35	27.7	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flushot in the Past 12 Months

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	216	33.0	383	67.0	4.3
Gender					
Male	94	34.6	146	65.4	7.0
Female	122	31.6	237	68.4	5.3
Age					
18-64	115	23.3	337	76.7	4.5
≥65	96	72.3	35	27.7	8.7
Education					
≤High School	63	37.5	99	62.5	8.7
>High School	152	31.2	283	68.8	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	92	72.1	36	27.9	8.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	141	24.8	420	75.2	4.1
Gender					
Male	69	27.9	144	72.1	6.8
Female	72	22.1	276	77.9	5.0
Age					
18-64	45	11.8	373	88.2	3.7
≥65	92	72.1	36	27.9	8.6
Education					
≤High School	54	33.9	99	66.1	8.6
>High School	86	20.9	320	79.1	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Neighborhood Safety

Nassau

Demographic Groups	n¹	Extremely or quite safe %²	n	Slightly or not safe %	C.I.³
Total	558	92.2	32	7.8	3.3
Gender					
Male	223	90.7	13	9.3	6.0
Female	335	93.7	19	6.3	3.2
Age					
18-64	421	91.2	27	8.8	4.0
≥65	125	96.2	4	3.8	4.7
Education					
≤High School	144	91.4	12	8.6	5.6
>High School	412	92.5	20	7.5	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Living Arrangements

Nassau

Demographic Groups	n ¹	Own % ²	n	Rent %	C.I. ³
Total	473	80.2	117	19.8	3.8
Gender					
Male	188	78.4	49	21.6	6.2
Female	285	81.8	68	18.2	4.5
Age					
18-64	343	77.1	103	22.9	4.6
≥65	119	92.8	11	7.2	4.4
Education					
≤High School	117	71.9	43	28.1	8.3
>High School	354	83.4	74	16.6	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lived at Current Address 2 or More Years

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	522	85.7	71	14.3	3.5
Gender					
Male	212	85.5	26	14.5	5.6
Female	310	85.8	45	14.2	4.3
Age					
18-64	383	82.5	67	17.5	4.3
≥65	126	97.1	4	2.9	3.0
Education					
≤High School	140	83.9	21	16.1	7.1
>High School	381	86.4	50	13.6	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Concerned about Having Enough Food for You or Your Family in Past 30 Days

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	27	4.9	567	95.1	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Number of Cigarettes Smoked per day among Everyday Smokers

Nassau

Demographic Groups	n ¹	1-10 cigarettes % ²	n	≥11 cigarettes %	C.I. ³
Total	29	45.6	44	54.4	13.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Work Indoors Most of the Time

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	300	85.9	40	14.1	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Smoking Policy at Place of Work among Indoor Workers*Nassau*

Demographic Groups	n¹	Not allowed anywhere %²	C.I.³	n	Allowed in some or all places %	C.I.	n	No official policy %	C.I.
Total	253	84.7	4.9	23	9.0	4.2	21	6.3	2.9
Gender									
Male	103	83.0	7.5	12	10.1	6.4	11	6.9	4.5
Female	150	86.5	6.2	11	7.9	5.2	10	5.6	3.7
Age									
18-34	50	80.1	11.3	7	12.9	10.2	6	7.0	6.0
35-54	145	85.9	6.3	11	7.6	5.0	10	6.6	4.3
≥55	50	85.4	10.8	5	9.1	9.8	5	5.4	5.2
Education									
≤High School	46	86.1	11.2	4	9.4	10.5	4	4.5	4.6
>High School	207	84.3	5.4	19	8.9	4.5	17	6.7	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Use Seatbelt when Ride or Drive in a Car (Always, Nearly Always or Never Ride in a Car)

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	555	93.7	40	6.3	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Use Seatbelt when Ride or Drive in a Car (Always or Never ride in a Car)

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	494	84.9	101	15.1	3.1
Gender					
Male	185	82.9	55	17.1	4.9
Female	309	86.8	46	13.2	3.9
Age					
18-64	373	85.3	74	14.7	3.5
≥65	106	82.8	26	17.2	6.8
Education					
≤High School	131	81.3	31	18.7	6.7
>High School	362	86.5	69	13.5	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	309	49.4	282	50.6	4.8
Gender					
Male	109	42.8	131	57.2	7.5
Female	200	55.5	151	44.5	5.9
Age					
18-34	42	38.5	72	61.5	10.9
35-54	143	54.3	104	45.7	7.3
≥55	118	52.2	98	47.8	7.8
Education					
≤High School	84	51.2	77	48.8	9.0
>High School	225	48.9	203	51.1	5.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	177	59.0	107	41.0	6.7
Gender					
Male	74	52.9	57	47.1	10.0
Female	103	66.1	50	33.9	8.5
Age					
18-34	46	58.8	26	41.2	13.1
35-54	63	60.8	41	39.2	10.8
≥55	63	57.9	35	42.1	11.8
Education					
≤High School	43	55.5	35	44.5	13.2
>High School	133	60.3	71	39.7	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Nassau

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	374	78.0	105	22.0	4.3
Gender					
Male	136	76.4	44	23.6	7.2
Female	238	79.3	61	20.7	5.1
Age					
18-34	64	77.2	23	22.8	9.2
35-54	164	80.6	40	19.4	6.4
≥55	138	75.6	40	24.4	7.5
Education					
≤High School	94	76.6	30	23.4	8.7
>High School	279	78.5	75	21.5	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Nassau

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	340	69.0	146	31.0	4.9
Gender					
Male	130	71.8	53	28.2	7.8
Female	210	66.7	93	33.3	6.1
Age					
18-34	67	76.2	21	23.8	10.2
35-54	143	66.8	63	33.2	7.7
≥55	122	66.2	59	33.8	7.9
Education					
≤High School	78	58.1	49	41.9	10.1
>High School	261	73.1	97	26.9	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval